

2024

SLA BATTERIES



Continental
BATTERY SYSTEMS

The Single Source Solution™



Continental

BATTERY SYSTEMS

CONTINENTAL HAS DEVELOPED A SUITE OF TOOLS TO HELP YOUR BUSINESS THRIVE.

✓ **Multi-Channel Ordering**

- **In person:** 200+ stores – visit www.gocbs.com for locations
- **By phone:** (844) 935-1186
- **Online:** www.gocbs.com
- **EDI-transmitted orders:** Contact your Sales Rep for more information

✓ **Core Handling Made Easy** – Battery cores are picked with delivery orders

✓ **Technical Support Hotline** – Call us at (844) 935-1186 for prompt, knowledgeable and effective solutions

✓ **Marketing Support** – We offer an array of marketing materials designed to build your business. Custom collateral may also be available – contact your Sales Rep for information

✓ **Sales Support** – We offer training materials on key business-driving capabilities including Battery Inspection, Battery Testing, Proactive Battery Replacement and Battery Rotation & Storage

✓ **Private Label** – We can create batteries with YOUR BRAND (limitations apply, pricing varies)

✓ **Robust Warranty Program** – We honor manufacturer warranties for all products we distribute. Visit <https://www.continentalbattery.com/resources/warranty-information>

✓ **No Batteries go to the Landfill** – We are committed to recycling or reconditioning 100% of our batteries. Read more about our recycling and reconditioning program at www.continentalbattery.com/resources/battery-recycling-program

✓ **Single Source Solution** – Our expansive network allows us to source power solutions from the best manufacturers around the world. From the smallest alkaline batteries to the most robust systems, we ensure no product is out of reach for our customers.



SLA BATTERIES



CB613-F1



CB1280-F1

Continental
BATTERIES

NOMINAL VOLTAGE	BCI	AH	CHEMISTRY	PART NUMBER	DIMENSIONS					BRAND
					L	X	W	X	H (IN)	
2V		200@10	SLA	CB22000-IT	6.7	4.4	13.0			Continental
2V		300@10	SLA	CB23000-IT	6.7	5.9	13.0			Continental
2V		400	SLA	CB24000-IT	6.8	6.0	13.4			Continental
2V		500	SLA	CB25000-IT	9.5	6.7	13.3			Continental
4V		4.5	SLA	CB445-F1	1.9	1.9	4.3			Continental
6V		1.3	SLA	CB613-F1	3.8	0.9	2.1			Continental
6V		3.4	SLA	CB634-F1	4.9	1.4	2.4			Continental
6V		3.6	SLA	CB636-F2	3.3	6.3	6.6			Continental
6V		4.5	SLA	CB645-F1	2.8	1.9	4.2			Continental
6V		5	SLA	CB650-Spring	2.6	2.6	4.3			Continental
6V		5	SLA	CB650-F1	2.6	2.6	4.1			Continental
6V		7	SLA	CB670-F1	5.9	1.3	3.7			Continental
6V		8.5	SLA	CB685-F1	3.9	2.2	4.5			Continental
6V		12	SLA	CB6120-F1	5.9	1.9	3.8			Continental
6V		12	SLA	CB6120-F2	5.9	1.9	3.8			Continental
6V		14	SLA	CB6140-SPADE	4.3	2.8	5.5			Continental
6V		20	SLA	CB6200-NB	6.2	3.3	4.9			Continental
6V	27	200	SLA	CB62000-IT	12.1	6.7	8.7			Continental
6V		220	SLA	CB62200-IT	12.1	6.7	8.7			Continental
12V		0.08	SLA	CB1208	3.8	1.0	2.4			Continental
12V		1.3	SLA	CB1213-F1	3.8	1.7	2.1			Continental
12V		2.2	SLA	CB1222-F1	7.0	1.4	2.4			Continental
12V		2.9	SLA	CB1229-F1	3.1	2.3	4.0			Continental
12V		3.4	SLA	CB1234-F1	5.3	2.6	2.4			Continental
12V		4.5	SLA	CB1250-F1	3.6	2.8	4.2			Continental
12V		4.5	SLA	CB1250-F2	3.5	2.8	4.2			Continental
12V		7	SLA	CB1270-F1	5.9	2.6	3.9			Continental
12V		7	SLA	CB1270-F2	5.9	2.6	3.9			Continental

**ADDITIONAL HIGH RATE/ TELECOM BATTERIES AVAILABLE.
CONTACT YOUR SALES REP OR LOCAL STORE FOR MORE DETAILS.**

The Single Source Solution™

SLA BATTERIES



CB12100-F2



CB12350-NB

Continental
BATTERIES

NOMINAL VOLTAGE	BCI	AH	CHEMISTRY	PART NUMBER	DIMENSIONS					BRAND
					L	X	W	X	H (IN)	
12V		7.5	SLA	CB1275-F2	5.9	2.6			3.7	Continental
12V		8	SLA	CB1280-F1	5.9	2.6			3.9	Continental
12V		8	SLA	CB1280-F2	5.9	2.6			3.9	Continental
12V		9	SLA	CB1290-F1	5.9	2.6			3.9	Continental
12V		9	SLA	CB1290-F2	5.9	2.6			3.9	Continental
12V		9	SLA	CB1290-NB	5.9	2.6			3.9	Continental
12V		10	SLA	CB12100-F2	5.9	2.6			3.7	Continental
12V		10.5	SLA	CB12105-IT	6.2	6.7			8.4	Continental
12V		11.5	SLA	CB12115-IT	5.9	3.9			3.7	Continental
12V		12	SLA	CB12120-F1	5.9	3.9			4.0	Continental
12V		12	SLA	CB12120-F2	5.9	3.9			4.0	Continental
12V		12	SLA	CB12120-NB	5.9	3.9			4.0	Continental
12V		14	SLA	CB12140-F2	5.9	3.9			3.7	Continental
12V		15	SLA	CB12150-F2	5.9	3.9			4.0	Continental
12V		18	SLA	CB12180-F2	7.1	3.0			6.6	Continental
12V		18	SLA	CB12180-IT	7.1	3.0			6.6	Continental
12V		18	SLA	CB12180-NB	7.1	3.0			6.6	Continental
12V		18	SLA	CB12180-XRP	7.1	3.0			6.6	Continental
12V		22	SLA	CB12220-IT	7.1	3.0			6.6	Continental
12V		22	SLA	CB12220-NB	7.1	3.0			6.6	Continental
12V		26	SLA	CB12260-F2	6.5	6.9			4.9	Continental
12V		26	SLA	CB12260-IT	6.5	6.9			4.9	Continental
12V		26	SLA	CB12260-NB	6.5	6.9			4.9	Continental
12V		28	SLA	CB12280H	6.5	6.9			4.9	Continental
12V		35	SLA	CB12350-IT	7.7	5.1			6.5	Continental
12V		35	SLA	CB12350-NB	7.7	5.1			6.5	Continental
12V	U1	35	AGM	CBEV-U1-IT	7.8	5.2			7.3	Continental EV
12V	U1	35	AGM	CBEV-U1-NB	7.8	5.2			7.3	Continental EV

**ADDITIONAL HIGH RATE/ TELECOM BATTERIES AVAILABLE.
CONTACT YOUR SALES REP OR LOCAL STORE FOR MORE DETAILS**

SLA BATTERIES



CBEV-27-DT



CB8D-IT

Continental
BATTERIES

NOMINAL VOLTAGE	BCI	AH	CHEMISTRY	PART NUMBER	DIMENSIONS					BRAND
					L	X	W	X	H (IN)	
12V		40	SLA	CB12400-NB	7.8	6.5	6.7			Continental
12V		50	SLA	CB12500-IT	7.8	6.5	6.7			Continental
12V		50	SLA	CB12500-NB	7.8	6.5	6.7			Continental
12V		55	SLA	CB12550-IT	9.0	5.4	8.3			Continental
12V		55	SLA	CB12550-NB	9.0	5.4	8.3			Continental
12V	22NF	55	AGM	CBEV-22-IT	9.0	5.4	8.3			Continental EV
12V	22NF	55	AGM	CBEV-22-NB	9.0	5.4	8.3			Continental EV
12V	24	75	SLA	CB12750-IT	10.3	6.7	8.0			Continental
12V	24	75	SLA	CB12750-NB	10.3	6.7	8.0			Continental
12V	24	75	SLA	CB12750R-IT	10.3	6.7	8.0			Continental
12V	24	85	SLA	CB12850-IT	10.3	6.8	8.9			Continental
12V	24M	85	AGM	CBEV-24-DT	10.3	6.8	8.9			Continental EV
12V	24	85	AGM	CBEV-24-M8	10.3	6.8	8.9			Continental EV
12V	24	85	AGM	CBEV-24-NB	10.3	6.8	8.9			Continental EV
12V	27	100	AGM	CB121000-IT	12.1	6.6	8.2			Continental AGM
12V	27	100	AGM	CB121000-NB	12.1	6.6	8.2			Continental AGM
12V	27M	105	AGM	CBEV-27-DT	12.1	6.8	8.9			Continental EV
12V	30H	110	AGM	CB121100-IT	13.0	6.8	8.4			Continental AGM
12V	30H	110	AGM	CB121100-NB	13.0	6.8	8.4			Continental AGM
12V	30H	120	AGM	CBEV-30-120-IT	13.5	6.8	9.3			Continental EV
12V	31M	140	AGM	CBEV-31-DT	13.0	6.8	9.4			Continental EV
12V	4D	200	SLA	CB4D-IT	20.8	8.8	9.8			Continental
12V	4D	200	SLA	CB4DN-IT	20.8	8.8	9.8			Continental
12V	8D	250	SLA	CB8D-IT	20.8	11.1	9.8			Continental
12V	8D	330	AGM	CBEV-8D-330A	20.8	11.1	9.8			Continental EV
24V		7	SLA	CB2470	7.4	4.0	3.7			Continental

**ADDITIONAL HIGH RATE/ TELECOM BATTERIES AVAILABLE.
CONTACT YOUR SALES REP OR LOCAL STORE FOR MORE DETAILS**

The Single Source Solution™

SLA BATTERIES

UPS

Continental
BATTERIES


NOMINAL VOLTAGE	CHEMISTRY	PART NUMBER	DIMENSIONS					BRAND
			L	X	W	X	H (IN)	
12V	AGM	CBHR12-30W-FR	3.5		2.8		4.0	Continental High Rate UPS
12V	AGM	CBHR12-36W-FR	5.9		2.6		3.7	Continental High Rate UPS
12V	AGM	CBHR12-60W-FR	5.9		3.9		3.7	Continental High Rate UPS
12V	AGM	CBHR12-115W-FR	6.5		4.9		6.9	Continental High Rate UPS
12V	AGM	CBHR12-150W-FR	7.7		5.1		6.1	Continental High Rate UPS
12V	AGM	CBHR12-200W-FR	9.0		5.4		8.4	Continental High Rate UPS
12V	AGM	CBHR12-300W-FR	10.2		6.5		8.5	Continental High Rate UPS
12V	AGM	CBHR12-420W-FR	13.3		6.8		8.7	Continental High Rate UPS
12V	AGM	CBHR12-500W-FR	13.4		6.8		10.9	Continental High Rate UPS
12V	AGM	CBHR12-540W-FR	13.4		6.8		11.0	Continental High Rate UPS

**ADDITIONAL HIGH RATE/ TELECOM BATTERIES AVAILABLE.
CONTACT YOUR SALES REP OR LOCAL STORE FOR MORE DETAILS**



BATTERY RECYCLING AND RECONDITIONING

WHEN A USED BATTERY ARRIVES AT OUR RECONDITIONING CENTER, WE CHARGE AND TEST IT TO SEE IF IT MEETS THE REFURBISHMENT STANDARDS. IF IT DOES, IT'S REPAIRED AND REBUILT ON-SITE.



Continental Battery Systems is committed to recycling or reconditioning 100% of our batteries. No batteries go to the landfill.

LEADING THE CHARGE NATIONWIDE!

LOCATIONS



BRANDS

Continental
BATTERIES

TROJAN
BATTERY COMPANY
ODYSSEY
BATTERY

OPTIMA
BATTERIES
THE ULTIMATE POWER SOURCE
Discover

CROWN
BATTERY
ACDelco
FULLRIVER

Precision

DAKOTA LITHIUM

ROYPOW

INVENTUS
POWER

BRIGHT WAY GROUP

EnerSys
BULLDOG
BATTERY

Cyclon

CD
TECHNOLOGIES

CSB

MOTOBATT

simpliphi
Power. On Your Terms.

Energizer

PROCELL
BY THE DURACELL COMPANY

Rolls
BATTERY ENGINEERING

MEGAVOLT
BATTERY

NOCO
delta-q
TECHNOLOGIES

Lester
ELECTRICAL

Battery Tender

victron energy
BATTERY POWER

MIDTRONICS

PRO Charging Systems

NEBO

QUICKCABLE

APPLICATIONS

ALARM

AUTOMOTIVE

AWP

COMMERCIAL /

TRUCKING

DEEP CYCLE

ELECTRIC VEHICLE

FARM / AG

FLOOR SCRUBBER

GOLF CART/ EV/ LSV

INDUSTRIAL

LAWN / GARDEN

MARINE

MATERIAL HANDLING

MEDICAL MOBILITY

POWERSPORTS

RENEWABLE / SOLAR

RV

TELECOM

TRAILER

BREAKAWAY KITS

UPS / BACK-UP POWER

WORK & HOME

BATTERIES



The Single Source Solution™

CONTINENTAL BATTERY SYSTEMS
GLOBAL HEADQUARTERS
8585 N. STEMMONS FREEWAY, FLOOR 6
DALLAS, TX 75247
844-935-1186

GOCBS.COM

© 2024 Continental Battery Systems. All rights reserved. The information contained in this catalog is for informational purposes only. Continental Battery Systems makes no guarantee, expressed or implied, as to the accuracy of the catalog content and is not responsible for the improper application or misuse of products and any complications based in whole or in part upon the use of this information. Specifications are accurate to the best of our knowledge. CBS and other battery manufacturers may change battery specs at any time. Some products are not available in all geographic regions. All marks used herein are the property of their respective owners and are used with permission. Part numbers and specifications referenced in this document are subject to change without prior notice. Please contact your sales representative to verify any part-specific information. SLA01-2024