

# FLOW X Order Form

## ORDER DATA

Date  
Company name  
Delivery location  
Reference  
Ordered by

## CUSTOMER MEASUREMENTS

Back to knee (default 600 mm) mm  
Back to head (default 900 mm) mm  
Back to forehead (default 230 mm) mm

## RAIL DESIGN

**Fast Design** (extra charge)

### Rail Position

Left  
Right

### Swivel Type

Automatic swivel at landings

ASL - full automatic swivel

No swivel - fixed seat

select one option

### Rail Start Horizontal (Bottom)

### Rail Start Vertical (Bottom)

### Rail End (Top)

Flush finish  
Horizontal over-run  
90° Parking curve (minimum overrun 415 mm)  
180° Parking curve (minimum overrun 415 mm)  
Other angle \_\_\_\_\_ °

### Additional Stop Positions (Halt / SLC) - Step number(s)

Call and Park Remotes included with every stop point

### Additional Park Positions (Park / ELC) - Step number(s)

### Rail Colour


White RAL 9002	Stone Grey RAL 7030
Dark Brown RAL 8019	Pale Brown RAL 8025
Custom RAL	

### Are there any non-drillable surfaces and/or steps?

Yes - steps not to drill, starting floor is 0

Separate each step by a comma  
i.e: 0,1,10

**FLOW X  
Order Form  
CHAIR**



Not required, Rail Only

**Seat Height**

- Seat height - 537.5 mm (default)
- Seat height - 515 mm
- Seat height - 560 mm
- Seat height - 582.5 mm

**Open Armrests (Side Transfer)**

- Yes
- No

**Safety Belt Location (Pull Side)**

- Left
- Right

**Key Lock**

- Yes
- No

**Attendant Control**

- Yes
- No

**Repeater kit**

- Yes
- No

**Upholstery**

Vinyl

- |               |            |               |               |
|---------------|------------|---------------|---------------|
| Natural Beige | Pearl Blue | Mountain Grey | Firenze Smoke |
| Basalt Grey   | Deep Red   | Mineral Blue  | Firenze Tan   |
|               |            | Coral Orange  | Firenze Grey  |

**Warranty**

Lifetime

**Additional Information**

**Armrest Travel Position**

- Curved
- Standard safety belt
- Long safety belt
- Straight (minimum staircase width 810mm)

**Footrest Size**

- Standard
- Small

**Chair Folding**

- Full manual
- Manual folding seat, automatic folding footrest

**Joystick Position**

- Left
- Right

**Safety Belt Detection**

- Yes
- No

# FLOW X Order Form

## MEASUREMENTS SHEET

### Table of Individual Measurements

Step No.	Angle	Tread	Riser	Width	Step No. Continued	Angle	Tread	Riser	Width
Total Riser Height Calculation*					Total Riser Height Calculation*				
Total Riser Height Measured*					Total Riser Height Measured*				

### Measurement verification - calculated from table above

Measurement	Wall 1	Wall 2	Wall 3	Wall 4
Horizontal length (mm)*				
Vertical height (mm)*				

### Measurement verification - measured on stairs

Horizontal length (mm)*				
Vertical height (mm)*				

### Additional measurements required

Corner angles (°)				
Minimum stair width (mm)				
Stringer width (mm)				
Stringer height (mm)				

### Bulkhead details

Bulkhead	Step Number	Height	Offset Distance from Nose
1			
2			
3			

\* Tolerance +/- 25 mm

FLOW X  
Order Form

SKETCH AREA

