



Pride Mobility Products Co.

5096 South Service Rd, Beamsville, ON, L0R 1B3

Phone: 888-570-1113 | Fax: 866-514-1303 | Email: productorders@pridemobility.com

Q4 with TB3 Positioning

Account Number: _____ Date: _____

Provider Name: _____

Contact: _____

Phone: _____ Fax: _____

Email: _____

PO Number: _____

Marked for: _____

Ship to Address: _____

City: _____ Prov: _____ Postal: _____



INTRODUCTION


This form is interactive when viewed with [Adobe Acrobat Reader](#). Complete the form by placing checks in the desired boxes and provide information in the interactive fields. Buttons shown at the bottom of the form may be utilized to print or submit the order form through a desktop email application. To email via a web-based application, please 'Save As' and attach the PDF to your email.

This order form contains a large variety of options to fulfill various patient needs. Descriptions and section notes, such as optional or required, are included to help you complete your order. Other part numbers can be found on the quote acknowledgment after this order form is submitted. Please contact Quantum® Sales at 888-570-1113 if assistance is needed. Send the completed order form by fax (866-514-1303) or email (productorders@pridemobility.com). Incomplete forms may delay the quote or order. Customer service will contact you if the order is incomplete or if there are compatibility issues. If special order requests are needed, be sure that the Patient Information section is completed

All prices are MSRP. Prices, specifications, part numbers, and availability are subject to change without notice. Prices and part numbers as shown are only available when configured as a complete power chair. Please contact technical service for accurate parts ordering.

PATIENT INFORMATION

Weight: _____ Height: _____



A. Shoulder Width: _____ D. Max Sitting Height: _____ G. Thigh Depth: _____

B. Chest Width: _____ E. Shoulder Height: _____ H. Lower Leg Length: _____

C. Hip Width: _____ F. Axilla Height: _____ I. Elbow Height: _____

1. BASE MODEL

REQUIRED. 300 lb. weight capacity with standard 5 mph programmable motors, 8 amp off board charger, and flat free drive wheels. Dimensions of base without legrests: 24"Wx35.5"L.

Quantum Q4.....\$6,500
Part: Q4

1.2. DRIVE WHEELS

REQUIRED.

3"x14" Flat Free Black Tires No Charge
Part: PTOINDV3525

3"x14" Pneumatic Black Tires No Charge
Part: WHL138793-B x2

1.3. DRIVE MOTORS

REQUIRED.

5 MPH Standard Motor Package..... Standard
Part: MOT1808079 Only available with NE Plus

6 MPH High Speed Motor Package..... \$700
Part: MOT132943 Available with NE Plus or Q-Logic 3

1.4 QUANTUM BACKUP CAMERA

OPTIONAL.

Quantum Backup Camera \$475
Part: MEC1910365

2. BASE COLOR

REQUIRED. Select one shroud color. Colors shown here may differ from actual product depending on monitor/printer calibration used.

Red Covette 

Back in Black 

Evolution Orange 

Electric Blue 

Pretty in Pink 

3. BASE MOUNTED FOOT PLATFORM

REQUIRED. May interfere with seat mounted legrests.

Base Mounted Foot Platform Standard
Part: FRMASMB16077

Omit base mounted foot platform No Charge
Part: PTOINDV3674

4. BATTERIES

REQUIRED. The powerchair requires 2 batteries and will be installed if ordered.

NF-22, Gel Cell, Interceptor Battery \$300 ea.
Part: BAT1704613. Up to 3 extra miles additional range!

NF-22, Gel Cell, MK Battery \$400 ea.
Part: BATGEL1008

5. TRANSIT OPTIONS

Optional.

Unoccupied Transit Standard
Part: KIT130229

Allows the powerchair to be secured for unoccupied transit.

6. ELECTRONICS

REQUIRED.

6.1a. Non-Expandable Controls

NE+ 6-Key Joystick No Charge
Part: CTLDC1560

Controls up to two actuators.

6.1b. Expandable Controls

Q-Logic 3 EX Joystick \$900 Q-Logic 3 E Joystick \$620

7. JOYSTICK MOUNTING BRACKETS

Optional. Select a mount to be used with a joystick selected in previous section.

7.1a. Fixed, In-line Joystick Bracket

Fixed, In-line, Bracket for Q-Logic 3 Standard
Part: FRMASMB10617


Fixed, In-line, Bracket for NE/NE+ Standard
Part: FRMASMB12744

7.1b. Swing-Away (Retractable) Joystick Bracket

Allows the joystick to retract to the side of the armrest while maintaining the same joystick orientation.

Adjustable Swing-away \$265
Part: Various.
As pictured to the right

Basic Swing-away \$265
Part: Various.
Magnetic latching mechanism.
Stealth Height Adjustable Receiver recommended.



7.2. Joystick Mount Location

Left Side Mount
Part: PTOINDV1225

Right Side Mount
Part: PTOINDV1226

8. ELECTRONICS ACCESSORIES

Optional.

Q-Logic EX Programmer \$625
Part: ELEASMB6976

9. SEATING

REQUIRED.

9.1. Seat Configuration

TB3 Power Tilt Only \$6,245 TB3 Static Seat \$1,045
55° Center of Gravity (CG) power tilt seating system.

9.2. Seat Dimension - Width

REQUIRED. Maximum seat width is 20". Width package range will be 16"-20" wide.

16" W (#1006) 17" W (#1007) 18" W (#1008) 19" W (#1009) 20" W (#1010)

9.3. Seat Dimension - Depth

REQUIRED.

16" D (#1006) 17" D (#1007) 18" D (#1008) 19" D (#1009) 20" D (#1010)

9. POWER POSITIONING SEATING CONTINUED

9.5. Seat to Floor Height

REQUIRED.

16.5" STF <i>Lowest Static, Tilt N/A</i>	17.5" STF <i>Middle Static, Lowest Tilt</i>	18.5" STF <i>Highest Static, Middle Tilt</i>	19.5" STF <i>N/A Static, Highest Tilt</i>
--	---	--	---

9.6. Seat Cushion

OPTIONAL

Stealth Solution® Cushion \$580-\$645 <i>Skin protection and positioning.</i>	Stealth Essence \$545-\$705 <i>Skin protection and positioning.</i>
Stealth Glacial Cushion \$265-\$530 <i>Skin protection.</i>	Stealth Essence Plus \$800 <i>Skin protection and positioning.</i>
Stealth Spectrum® Gel Cushion \$580-\$650 <i>Positioning.</i>	Simplicity \$310-\$370 <i>General Use.</i>
Stealth Spectrum® Foam Cushion \$580-\$630 <i>Skin protection and positioning.</i>	Stealth Premiere \$585 <i>Positioning.</i>
Stealth TRU-Comfort 2 4-Way Stretch Cushion \$515-\$575 <i>Skin protection.</i>	Stealth Zen \$455-\$765 <i>Skin protection and positioning.</i>

9.7. Back Cane Type

REQUIRED

Angle Adjustable Standard <i>Part: MEC140266</i>	Flip Forward No Charge <i>Part: MEC140272</i>
--	---

9.8. Back Cane Height

REQUIRED

16" H Cane <i>Part: FRMASMB15834</i>	20" H Cane <i>Part: FRMASMB15838</i>	24" H Cane <i>Part: FRMASMB15842</i>
17" H Cane <i>Part: FRMASMB15835</i>	21" H Cane <i>Part: FRMASMB15839</i>	25" H Cane <i>Part: FRMASMB15843</i>

9.9. Back Cushion Type

REQUIRED.

Omit Back Pan/Cushion No Charge <i>Part: PTOINDV1287</i>	Sport Back No Charge <i>Part: See XRef</i>
--	--

9.10. Back Shroud

REQUIRED. The back shroud is not available when Omit Back Pan/Cushion is selected. Reference colors shown on page 2.

Matching Base Colour

9.12. Overall Back Cushion Height

Available height range: 14"-25"H. *Odd heights include 4" gap and even heights include 3" gap between seat pan and bottom of back cushion.*

16" Height <i>Part: SETHGHT1029</i>	21" Height <i>Part: SETHGHT1034</i>	26" Height <i>Part: SETHGHT1039</i>
17" Height <i>Part: SETHGHT1030</i>	22" Height <i>Part: SETHGHT1035</i>	27" Height <i>Part: SETHGHT1040</i>
18" Height <i>Part: SETHGHT1031</i>	23" Height <i>Part: SETHGHT1036</i>	28" Height <i>Part: SETHGHT1041</i>
19" Height <i>Part: SETHGHT1032</i>	24" Height <i>Part: SETHGHT1037</i>	
20" Height <i>Part: SETHGHT1033</i>	25" Height <i>Part: SETHGHT1038</i>	

10. Q4 SEAT ARMRESTS

REQUIRED. Left (L) and right (R) boxes may be checked to configure different size arms within one section arm type.

10.1a. Drop-In Armrests

Includes straight armpads.

Full Length, Drop-In Armrests..... No Charge Desk Length, Drop-In Armrests No Charge
 Left part: ARM1803253. Right part: ARM156742 Left part: ARM1803254. Right part: ARM156743

10.1d. Two-Post Armrests

Select the armrest and set the left and right heights in the following section. These armrests may interfere with offset backs/ back canes.

2-Post, Flip Back, Height Adjustable, and Removable Armrests (9"-13" Height) \$145 ea.
 Part: See XRef
 Not available with a depth less than 16".

10" Length 14" Length
 Part: Configuration selection Part: Configuration selection

Straight Armpads..... Standard Waterfall Armpads..... No Charge
 Part: See XRef Part: See XRef

10.2. Armrest Height

REQUIRED. Set left and right armrest height. Note the available height range in the option description.

1. Left Armrest Height

8" H PTOINDV3535	10" H PTOINDV3537	12" H PTOINDV3539	14" H PTOINDV3541	16" H PTOINDV3543
9" H PTOINDV3536	11" H PTOINDV3538	13" H PTOINDV3540	15" H PTOINDV3542	

2. Right Armrest Height

8" H PTOINDV3450	10" H PTOINDV3452	12" H PTOINDV3454	14" H PTOINDV3456	16" H PTOINDV3458
9" H PTOINDV3451	11" H PTOINDV3453	13" H PTOINDV3455	15" H PTOINDV3457	

11A. TRU-BALANCE 3 ARMREST BRACKETS

11.1a. Joystick Bracket

REQUIRED.

Standard Fixed Receiver Standard Stealth Height Adjustable Receiver..... \$165
 Part: XRF000063 Part: XRF000064

11B. TRU-BALANCE 3 HEADRESTS

Optional. Select a headrest pad and bracket.

11.1a. Headrests, Comfort Plus with Cool Core

1. Headrest Pads

Stealth 8" Comfort Plus, Cool Core (CP08CCFPM) \$190 Part: ST-CP08CCFPM-Q. E0955	Stealth 14" Comfort Plus, Cool Core (CP14CCFPM) \$190 Part: ST-CP14CCFPM-Q. E0955
Stealth 10" Comfort Plus, Cool Core (CP10CCFPM) \$190 Part: ST-CP10CCFPM-Q. E0955	Stealth 6", Comfort Plus, Cool Core (CP06CCFPM) \$190 Part: ST-CP06CCFPM-Q. E0955

2. Headrest Brackets

Comfort Plus Headrest Mounting Bracket, UniLink.....\$255
 Part: ST-UHB2D33200-Q. E1028

11.1b. Headrests, Comfort Plus

1. Headrest Pads

Stealth 8" Comfort Plus (CP450)..... \$190 Part: POS148484. HCPCS: E0955	Stealth 14" Comfort Plus (CP150) \$190 Part: INDPART2327. HCPCS: E0955
Stealth 10" Comfort Plus (CP250)..... \$190 Part: SETHEAD1057. HCPCS: E0955	Pediatric Comfort Plus (6"Wx4.5"H) (CPN350)..... \$190 Part: SETHEAD1069. HCPCS: E0955

2. Headrest Brackets

Multi-Axis Removable Headrest Bracket (HMO475P) \$200
 Part: HDWASMB1084. HCPCS: E1028

12. LAP BELTS

REQUIRED. Select a lap belt below.

17.1a. Standard Lap Belts

- 38" Lap Belt Part: ACCBELT1006 50" Lap Belt Part: ACCBELT1000 60" Lap Belt Part: ACCBELT1002 70" Lap Belt Part: ACCBELT1003 80" Lap Belt Part: ACCBELT1004 90" Lap Belt Part: ACCBELT1001

13. MANUFACTURER INSTALLED ACCESSORIES

Optional.

Accessory Bar \$90
Part: MEC143975

14. POWER POSITIONING ELECTRONICS

REQUIRED.

14.1b. Power Positioning through Joystick

Actuator Control Through NE+ Joystick No Charge Multi Actuator Control Through QL3 (AAM)..... \$1,675
Part: See XRef. Up to 2 actuator Control. Part: See XRef.
Single Actuator Control Through QL3 (AM1) No Charge
Part: See XRef.

15. LEGRESTS

Optional. All efforts will be made to accommodate legrest length selection, but minor changes may need to be made to meet shipping guidelines. Some adjustments may be needed upon receipt of the unit. Reference the section's compatibility matrix for legrest interference.

15.1. Center Mount Foot Platform

If power articulating foot platform is selected, be sure power legrest control has been selected in earlier section. Select legrest length in following section.

1. Foot Platform Assembly

Power Articulating Foot Platform \$3,145 Manually Adjustable Center Mount \$265
Part: PTOINDV3754. Foot Platform
(Adds 1 actuator control requirement to electronics.) 20"W-24"W part: RIG155637. 24"W-28"W part: RIG155527



2. Lower Extension and Footplates

10"-16" Extension, 5"x6" Footplates Part: RIG150206 Not available with power articulating platform.	10"-16" Extension, 5"x11" Footplates Part: RIG150212	13"-19" Extension, 5"x8" Footplates Part: RIG151506
10"-16" Extension, 5"x8" Footplates Part: RIG150203 Not available with power articulating platform.	13"-19" Extension, 5"x6" Footplates Part: RIG151505	13"-19" Extension, 5"x11" Footplates Part: RIG151508

3. Center Mount Calf Support

*Calf pads are standard with a power articulating foot platform. Select calf pads covers for additional charge. Calf pad and panel covers include 1/2" of soft visco foam.
Small Calf Pads (pair) 6"Wx6"H \$210 Large Calf Pads (pair) 8" taper to 6"Wx8"H \$210
Part: RIGASMB7120018 Part: RIGASMB7120019

4. Modular Footplate Extension Components

Optional. Assembly required. May require seating configuration adjustments to avoid front caster interference.

Width Extension for 8"D Footplates \$55 Part: RIG152517	4" Outside Edge (pair) \$55 Part: RIG152510 Only available with 6"D footplates and 8"D footplate extension.
Width Extension for 11"D Footplates \$55 Part: RIG152518	6" Outside Edge (pair) \$55 Part: RIG152516 Available with 8"D and 11"D footplates and 11"D footplate extension.
2" Bell-Shaped Length Extension \$55 Part: RIG152519 Not compatible with width extensions. Can be used with 6" outside edge with 11" footplates.	

5. Additional Accessories

Reversed Dartex Calf Pad Cover (pair) \$150 Small part: RIG133717. Large part: RIG133719	Wheel Bumpers (pair) \$15 ea. Part: WHLASMB1578 x2
Reversed Dartex Panel Cover (pair) \$150 Small part: RIG134673. Large part: RIG134744	Footplate Connector \$55 Part: RIGASMB7120023

15.2. Swing-Away Legrests

Select a legrest upper, a legrest extension, and type of footplate. Pair (P), left (L), and right (R) configurations are selected by checking the appropriate boxes.

1a. 60°-90° Swing-Away Legrest Uppers

Adjustable in 5° increments.

<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 60°-90° Swing-Away Legrest \$285 Pair part: RIG120062. Left: FRMASMB17558. Right: FRMASMB17559 Not available with 11"-13" extensions.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 60°-90° Swing-Away Legrest, Short \$285 Pair part: RIG136481. Left: RIG132607. Right: RIG132609. For use only with 11"-13" lower extensions.
---	--

2. Lower Extension

<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 11"-13" Length Part: See XRef N/A with Multi-axis.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 11"-16.5" Length Part: See XRef N/A with Angle Adj.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 13"-16.5" Length Part: See XRef N/A with Multi-Axis.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 15.5"-19.5" Length Part: See XRef
---	--	---	---

3a. Extruded Footplate(s)

<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 7.25"Wx6"D Extruded Footplate Standard Part pair: FRMASMB7847. Left: FRMASMB7861 Right: FRMASMB7862	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 8.5"Wx6"D Extruded Footplate Standard Part pair: FRMASMB7848. Left: FRMASMB7863 Right: FRMASMB7864 May cause interference on seat widths less than 18."
--	---

15. LEGRESTS

3b. Angle Adjustable Footplate(s)

¹The 6"x11" footplates may cause interference with seat widths less than 18". ²The 8"x11" footplates may cause interference with seat widths less than 20".

<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	4"Wx6"D \$87.50 ea. Pair part: FRMASMB10564. Left: RIG133537. Right: RIG133560	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	6"Wx8"D ¹ \$87.50 ea. Pair part: FRMASMB10567. Left: RIG133540. Right: RIG133563
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	5"Wx6"D \$87.50 ea. Pair part: FRMASMB10565. Left: RIG133538. Right: RIG133561	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	6"Wx11"D ¹ \$87.50 ea. Pair part: FRMASMB10568. Left: RIG133541. Right: RIG133564
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	5"Wx8"D \$87.50 ea. Pair part: FRMASMB10566. Left: RIG133539. Right: RIG133562	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	8"Wx11"D ² \$87.50 ea. Pair part: FRMASMB10569. Left: RIG133542. Right: RIG133565

3c. Multi-Axis Footplate(s)

¹The 6"x11" footplates may cause interference with seat widths less than 18". ²The 8"x11" footplates may cause interference with seat widths less than 20".

<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	4"Wx6"D \$130 ea. Pair part: FRMASMB9456. Left: RIG133531. Right: RIG133552	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	6"Wx8"D ¹ \$130 ea. Pair part: FRMASMB9459. Left: RIG133534. Right: RIG133555
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	5"Wx6"D \$130 ea. Pair part: FRMASMB9457. Left: RIG133532. Right: RIG133553	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	6"Wx11"D ¹ \$130 ea. Pair part: FRMASMB9460. Left: RIG133535. Right: RIG133558
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	5"Wx8"D \$130 ea. Pair part: FRMASMB9458. Left: RIG133533. Right: RIG133554	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	8"Wx11"D ² \$130 ea. Pair part: FRMASMB9461. Left: RIG133536. Right: RIG133559

4. Swing-Away Legrest Accessories

Heel Loops (pair) \$35 Part: FRMASMB7873. Standard on angle adjustable and multi-axis footplates.	Wheel Bumper \$15 ea. Part: See XRef
	Gel Neoprene Footrest Sleeve (pair) \$125 Part: INDPART2243.

15.3. Elevating Legrests

Select a legrest upper, a legrest extension, and type of footplate. Pair (P), left (L), and right (R) configurations are selected by checking the appropriate boxes. Select legrest length in following section.

1. Elevating Legrests Upper

<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Elevating Legrest Assembly \$550 ea. Pair part: FRMASMB6483. Left: RIG138012 Right: RIG138013. Select lower extension and footplates
--	---

2. Lower Extension

<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11"-14" Length Pair: FRMASMB4755 Left: RIG138026 Right: RIG138030 For reinforced only	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	14"-17" Length Pair: FRMASMB4756 Left: RIG138033 Right: RIG138035 For reinforced only
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	12"-14.5" Length Part: See XRef For angle adjustable only	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	14.5"-18" Length Part: See XRef For angle adjustable only

3a. Reinforced Cast Footplate(s)

<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	7.25"Wx6"D Reinforced Footplate Standard Pair part: FRMASMB4748. Left: RIG138055. Right: RIG138056	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	8.5"Wx6"D Reinforced Footplate Standard Pair part: FRMASMB4747. Left: RIG138060. Right: RIG138062 May cause interference on seat widths less than 18."
--	---	--	--

3b. Angle Adjustable Footplate(s) with Heel Loops

¹The 6"x11" footplates may cause interference with seat widths less than 18". ²The 8"x11" footplates may cause interference with seat widths less than 20". 4"x6" and 5"x6" footplates are only available in pairs.

<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	4"Wx6"D \$87.5 ea. Pair parts: FRMASMB8812 x2.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	6"Wx8"D ¹ \$87.5 ea. Pair part: FRMASMB4738. Left: RIG137793. Right: RIG137795
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	5"Wx6"D \$87.5 ea. Pair parts: FRMASMB8811 x2.	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	6"Wx11"D ¹ \$87.5 ea. Pair part: FRMASMB4741. Left: RIG137796. Right: RIG137797
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	5"Wx8"D \$87.5 ea. Pair part: FRMASMB4735. Left: RIG137791. Right: RIG137792	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	8"Wx11"D ² \$87.5 ea. Pair part: FRMASMB4744. Left: RIG137798. Right: RIG137799

4. Elevating Legrest Accessories

Heel Loops (pair) \$35 Part: FRMASMB7873. Standard on angle adjustable footplates.	Falcon Gel Padded Knee Adductor Buttons (KBE) (pair) \$125 Part: INDPART2242.
Wheel Bumper \$15 ea. Part: See XRef Available on angle adjustable footplates.	

Elevating Legrest Compatibility Matrix	Power Recline or Static Seat			Power Tilt			Power Lift		
	Low	Med.	High	Low	Med.	High	Low	Med.	High
Reinforced, 11"-14"	✓	✓	✓	✓	✓	✓	✓	✓	✓
Reinforced, 14"-17"	!	!	✓	!	✓	✓	✓	✓	✓
Angle Adjustable, 12"-14.5"	✓	✓	✓	✓	✓	✓	✓	✓	✓
Angle Adjustable, 14.5"-18"	!	!	!	!	!	✓	!	✓	✓

✓ This rigging configuration causes no interference issues at this seat-to-floor height.

! This rigging configuration may have less than 1.75" clearance when fully extended and may interfere with the ground or reduce obstacle climbing ability.

15. LEGRESTS

15.4. 70° Power Articulating, Swing Away Legrests

4" of articulating range. Be sure power legrest control has been selected in previous section. Select an upper extension type and footplate. Pair (P), left (L), and right (R) configurations are selected by checking the appropriate boxes. Select legrest length in following section.

1. Articulating Legrest Upper Assembly

P L R 70° Articulating, Swing-Away..... \$1,432.50 ea.
Legrest with 14.5"-18" Extension
 Pair Part: FRMASMB9073. Left Part: FRMASMB9074.
 Right Part: FRMASMB9075.

P L R 70° Articulating, Swing-Away.....\$1,432.5 ea.
Legrest with 11"-13" Extension
 Pair Part: FRMASMB11444. Left Part: FRMASMB11366.
 Right Part: FRMASMB11367.

70° Power Articulating, Swing-Away Legrest Compatibility Matrix	Power Recline or Static Seat			Power Tilt			Power Lift		
	Low	Med.	High	Low	Med.	High	Low	Med.	High
Angle Adjustable, 11"-13"	✓	✓	✓	✓	✓	✓	✓	✓	✓
Angle Adjustable, 14.5"-18"	!	!	!	!	!	!	!	!	!

- This rigging configuration causes no interference issues at this seat-to-floor height.
- This rigging configuration may have less than 1.75" clearance when fully extended and may interfere with the ground or reduce obstacle climbing ability.

2. Angle Adjustable Footplate with Heel Loop and Wheel Bumper

¹The 6"x11" footplates may cause interference with seat widths less than 18". ²The 8"x11" footplates may cause interference with seat widths less than 20".

P L R 4"Wx6"D
 Pair part: FRMASMB7448. Left part: RIG133543. Right part: RIG133566.

P L R 5"Wx8"D
 Pair part: FRMASMB7450. Left part: RIG133545. Right part: RIG133568.

P L R 6"Wx11"D¹
 Pair part: FRMASMB7452. Left part: RIG133548. Right part: RIG133570.

P L R 5"Wx6"D
 Pair part: FRMASMB7449. Left part: RIG133544. Right part: RIG133567.

P L R 6"Wx8"D¹
 Pair part: FRMASMB7451. Left part: RIG133547. Right part: RIG133569.

P L R 8"Wx11"D²
 Pair part: FRMASMB7453. Left part: RIG133549. Right part: RIG133571.

3. Power Articulating, Swing-Away Legrest Accessories

Calf Pad (pair) 6"Wx6"H..... No Charge
 Part: MEC153735

Falcon Gel Padded Knee Adductor Buttons (KBE)(pair)\$125
 Part: INDPART2242.

16. SET LEGREST LENGTH

REQUIRED with matching left and right legrest configuration. All efforts will be made to accommodate legrest length selection, but minor changes may need to be made to meet shipping guidelines. Some adjustments may be needed upon receipt of the unit. Non-matching or individual legrest configurations lengths are not set by the manufacturer.

10" L (#3476)	11" L (#3478)	12" L (#3480)	13" L (#3482)	14" L (#3484)	15" L (#3486)	16" L (#3488)	17" L (#3490)	18" L (#3492)	19" L (#3494)
10.5" L (#3477)	11.5" L (#3479)	12.5" L (#3481)	13.5" L (#3483)	14.5" L (#3485)	15.5" L (#3487)	16.5" L (#3489)	17.5" L (#3491)	18.5" L (#3493)	19.5" L (#3495)

17. PROVIDER INSTALLED ACCESSORIES

Optional.

Oxygen Holder.....\$110
 Part: ACC125006
 Includes accessory bar.

Deluxe Cell Phone/Media Holder \$300
 Part: ACC7120006
 Not available with desk length armrests.

Tablet Holder \$575
 Part: ACC7120005
 Not available with desk length armrests.

Cup Holder \$20
 Part: ACCASMB2634
 Only available with Two Post Arms

18. MANUFACTURER INSTALLED POSITIONING COMPONENTS

Optional.

18.2. Stealth Unilink Pelvic/Thigh Guide

1. UniLink Pelvic/Thigh Hardware

_____ QTY UniLink, 5" Height Adjustable, \$320 ea.
Removable Mounting Hardware
Part: ST-UTTP5-Q.

_____ QTY UniLink, 7" Height Adjustable, \$320 ea.
Removable Mounting Hardware
Part: ST-UTTP7-Q.



2. UniLink Pelvic/Thigh Pads

^Please verify the appropriate billing code to be used for this item with all third-party payors.

_____ QTY UniLink, 4" x 4" Pad \$125 ea.
Part: ST-UTP544056100-Q.

_____ QTY UniLink, 4" x 12" Pad \$165 ea.
Part: ST-UTP548056100-Q.

_____ QTY UniLink, 4" x 8" Pad..... \$135 ea.
Part: ST-UTP548056100-Q.

18.3. Stealth Pelvic/Thigh Guides

Pelvic/thigh guides may interfere with the joystick receiver block and down posts. Please provide quantity next to check box.

1. Pelvic/Thigh Guide Bracket

_____ QTY Flip Down Bracket (TWBTLADD-HW) \$300 ea.
Part: INDPART2804.

_____ QTY Flip Down with LEFT Full Surface Contact \$400 ea.
Feature (TWBADD-L & LPHW407)
Part: POS140428.

_____ QTY Removable Bracket (LP430)..... \$330 ea.
Part: INDPART2805.

_____ QTY Flip Down with RIGHT Full Surface Contact..... \$400 ea.
Feature (TWBADD-R & LPHW407)
Part: POS140429.

_____ QTY Removable Bracket with 1" Offset \$430 ea.
(LP430 & LHW-121)
Part: INDPART2854. HCPCS: E1028

2. Pelvic/Thigh Guide Adapter

_____ QTY 2" Height Adapter Plate (LHW-122).....\$40
Part: INDPART2821.
Height adapter is needed with TRU-Comfort seat cushions. Not available with the flip down bracket.

_____ QTY 2 1/4" Adapter Plate (LHW-129)\$40
Part: POS140430.
Only available with the flip down full surface bracket.

3. Pelvic/Thigh Guide Pad

^Please verify the appropriate billing code to be used for this item with all third-party payors.

_____ QTY Short Pad, 4"x4" (TWBADD-4X4) \$75 ea.
Part: INDPART2801.

_____ QTY Long Pad, 4"x12" (TWBADD-4X12) \$75 ea.
Part: INDPART2803.

_____ QTY Medium Pad, 4"x8" (TWBADD-4X8)..... \$75 ea.
Part: INDPART2802.

4. Pelvic/Thigh Guide Installation

Install on Left
Part: PTOINDV3585

Install on Right
Part: PTOINDV3586

Do Not Install
Part: PTOINDV3719